

SuperSting R8 Wi-Fi Quotation for a 56 Electrode Electrical Imaging of RES/IP/SP

This quotation (20180806-JSU-WJG) contains all details relevant to the pricing and equipment as requested by Sadik Khan.

Prepared by:

Jason Greenwood

Advanced Geosciences, Inc. (AGI)

2121 Geoscience Drive, Austin, TX 78726, USA

Email: jgreenwood@agiusa.com

Mobile: 512-565-8242

Office: +1 (512) 335-3338

Fax: +1 (512) 258-9958

SKU	Name	Price	QTY	Subtotal
None	SuperSting R4/IP/SP Wi-Fi Resistivity/IP/SP meter SuperSting R4/IP/SP Wi-Fi comprising items: SuperSting R4/IP/SP Wi-Fi instrument console Power supply for office use AC power cable PC communication cable, 1.8 m (6 ft) Cable for loading firmware into the SuperSting SuperSting Adapter box for ABMN terminals, 4-channel SP, infinity electrodes, receiver test and IP test load. Main battery cable with boost battery take-out 12 V power adapter cable for boost battery Jumper cable, 2 meters, used to connect the Swift cable to the SuperSting or to connect the test box to the SuperSting Antenna 2.4 GHz, 3 dB omnidirectional Test cable Kit of fuses comprising: one 20 Amp, 1x1/4", one 1 Amp 250V 5x20 mm and one 2.5 Amp 250 V 5x20 mm fuses Graphical display, control device and GPS SuperSting Manager App SuperSting Administrator, utility software Instruction manual USB-Serial Adapter - Brain box	\$23,610.00	1	\$23,610.00
911903	Heavy duty carry case for SuperSting Protects the instrument in shipping and transportation	\$500.00	1	\$500.00
955856	SwitchBox R8 with 56 electrodes capability	\$13,270.00	1	\$13,270.00
2000024	Heavy duty carry case for	\$310.00	1	\$310.00

	SwitchBoxes Protects the instrument in shipping and transportation			
933763	FlexLite Passive land cable 14x6x3 for 56eSB FlexLite Passive land cable with 14 electrodes at 6-meter spacing and 3-meter lead-in and tail with male and female connector for resistivity imaging. To be used with Switch box 28, 56. Weight 7 kg. The cable is manufactured with slightly longer intervals to give some slack in the cable when the specified electrode spacing is used.	\$2,303.00	4	\$9,212.00
933010	Medium Electrode Cable Box 61 x 61 x 36 cm (24" x 24" x 14"). Also used for export packing. Fits 350 meter of 42 conductor cable and 300 meter of 56 conductor passive cable.	\$595.00	1	\$595.00
920035	Stainless steel electrode, 457 mm x 9.5 mm (18" x 3/8") Stainless steel electrode, 457 mm x 9.5 mm (18" x 3/8"), with stainless steel spring	\$33.00	60	\$1,980.00
933011	Electrode Stake Box Field/Shipping box for electrode stakes - 56 x 20 x 20 cm (22" x 8" x 8"). Also used for export packing.	\$450.00	1	\$450.00
951080	Two SuperSting AC/DC Power Supplies Includes Main & Boost 110V Power Supplies. To be used with AC generator (not included)	\$2,835.00	1	\$2,835.00
944015	EarthImager 2D/3D Software EarthImager 2D & 3D combo package. Includes special Academic Discount with stand alone and 20 seat classroom type license.	\$5,378.00	1	\$5,378.00

Subtotal **\$58,140.00**

Total \$58,140.00

Quote Validity

This quote is valid until June 1, 2020

Estimated Delivery

- 4-10 weeks after receipt of purchase order and down payment or final approval of letter of credit.
- Production will commence upon receipt of 30% non-refundable, down payment and purchase order.

Payment Terms

Payment Date	Payment Amount		
At the time of submitting the Purchase Order	30% of full amount		
Before the delivery date	70% of full amount		

- · Bank/wire transfer or letter of credit.
- For bank transfers or company checks, the 30% non-refundable, down payment is due at the time of purchase order and the 70% balance is due prior to shipment.
- Please note, the 30% down payment is non-refundable should the buyer cancel the order.

Shipping

Shipping and insurance charges are not included. Customer is responsible for shipping and insurance charges.

Taxes

If delivery of equipment is taken within Texas, an 8.25% sales tax will be added to the order.

Returns

- Custom equipment (hardware and software) is non-returnable and non-refundable after delivery.
- All Sting Generator Sets (SGS) sales are final (non-returnable and non-refundable).

• Qualifying items for return are subject to a 30% restocking fee.

Warranty

- 12 months from installation date on equipment and parts.
- Customer is responsible for all shipping charges of equipment to and from AGI on any warranty or non-warranty repairs.